








PRODUCT CATALOGUE






PRODUCT CODE	DESCRIPTION	
MABLNR	ABACUS LEARNER - SLIDE - 10 ROWS	
PATL01	AIR TRACK WITH ACCESSORIES <ul style="list-style-type: none"> • Cost effective system for the study of all aspects of dynamics • Ideal for classroom use • Virtually Friction Free for accurate demonstrations • Designed to accept standard slotted masses • Includes a range of accessories 	
PATL02	AIRTRACK BLOWER <ul style="list-style-type: none"> • Provides constant air pressure for linear air track • 110V AC 	
PATL03	AIR TRACK DUAL PHOTO GATES AND TIMER <ul style="list-style-type: none"> • A very versatile photogate timer, Battery operated which allows to perform experiments without being connected to the outlet. • There are five timing modes. Including interval mode which measure the time of interruption. Frequency mode which measure the frequency of regular interruption. Period mode which measure the time between the first and third interruption count mode which keep track of the number of times the photogate beam is interrupted adaptor leads. 	







EAMMET	AMMETER DC Mounted in plastic case <ul style="list-style-type: none"> • Easy reading angle • Moving coil types Available in <ol style="list-style-type: none"> (1) 0 - 1A (2) 0 - 5A (3) 0 - 10A (4) 0 - 50mA/0 - 500mA/0 - 5A 		
GAP01	ASPIRATOR 25L PLASTIC + TAP <ul style="list-style-type: none"> • Polythene • Heavy duty • Polythene screw cap • Wide bore tap • Capacity: 22l or 25l 		
BBAL01	BALANCE – LEVER <ul style="list-style-type: none"> • Direct reading, single pan balance with its scale in the form of a quadrant. • The arc scale is graduated in dual ranges of 0-250 x 1 g and 0-1000 x 5 g which can be set using the weight arm provided. • Cast aluminum frame with all steel parts chrome plated. Leveling screw for zero adjustment. 		
BBAL02	BALANCE- SIMPLE		
BBAL03	BALANCE DOUBLE BEAM 200GM <ul style="list-style-type: none"> • Capacity: 200gm • Sensitivity: 200mg • Main scale value: 10-90gm • Secondary scale value: 0.1-10gm 		
BBAL04	BALANCE BEAM TRIPLE BEAM <ul style="list-style-type: none"> • Sliding Weights, • graduation for easy readings • Capacity 2610g, Sensitivity 0.1g 		

BBAL05	BALANCE ELECTRONIC 600GM x 0.01GM <ul style="list-style-type: none"> Weighing mode Tare value stored Reset zero Mains adaptor Readability: 0.01gm Powers: Mains or battery Capacity: 600gm 		
BBS01	BALANCE – SPRING <ul style="list-style-type: none"> Newton spring balance With zero adjuster Handle and load hook Available sizes (1) 5N, (2) 10N, (3) 20N, (4) 50N		
BBS02	BALANCE - FORCE METER <ul style="list-style-type: none"> Newton spring balance Available sizes: (1) 5N, (2) 10N, (3) 20N		
EBR01	BALL & RING APPARATUS <ul style="list-style-type: none"> Brass ball secured to mounted brass ring by a chain Ring is mounted on a rod with a wooden handle/plastic handle 		
EBP01	BANANA PLUG (a)BLACK (b) RED		
PBG01	BAR & GAUGE APPARATUS <ul style="list-style-type: none"> Comprising a metal bar mounted on rod with insulated handle and U-shaped metal gauge without handle 		
PBB01	BAR BREAKING APPARATUS <ul style="list-style-type: none"> To show the forces this can be exerted during thermal expansion contraction. Comprising a heavy cast iron frame 340 x 120 x 100 mm with slotted end pillars to carry a stout iron bar. The bar is threaded at one end for a large tensioning nut and has holes at the other end to accommodate the cast iron breaking bars. 		






EBC01	BAR COMPOUND <ul style="list-style-type: none"> Strip of iron Strip of copper Riveted together Fitted handle 	
MBS01	BATHROOM SCALE	
EBAT01	BATTERY PENLIGHT 1.5V AA <ul style="list-style-type: none"> Cylindrical type AA Leak proof Central positive cap 	
EBAT02	BATTERY TORCH 1.5V SIZE D <ul style="list-style-type: none"> Cylindrical, type D Leak proof Central positive cap Negative base 1.5V 	
EBAT03	BATTERY RECTANGULAR 9V-PM9	
EHOLB01	BATTERY HOLDER <ul style="list-style-type: none"> SINGLE CELL AA DOUBLE CELL AA D - CELL 	
GBEAKP	BEAKER PLASTIC – GRADUATED <ul style="list-style-type: none"> Polypropylene Graduated With spout Available Sizes 50ml, 100ml, 250ml, 500ml ,1000ml, 2000ml, 3000ml,5000ml	

GBEAKG	BEAKER GLASS <ul style="list-style-type: none"> Borosilicate glass Graduated With spout Available Sizes 25ml, 50ml, 100ml, 250ml, 400ml, 500ml, 600ml, 1000ml, 2000ml, 3000ml	
GBEAKG02	BEAKER 100ML TALL FORM, WITH SPOUT <ul style="list-style-type: none"> Borosilicate glass Graduated with Spout Sizes Available 100ml, 250ml, 600ml, 1000ml	
GBTONG	BEAKER TONG - BLACK RUBBER <ul style="list-style-type: none"> Length 15cm. To hold 25-100ml cap., length 15cm 	
GBEEHIVE	BEEHIVE SHELF PORCELAIN <ul style="list-style-type: none"> Stoneware Glazed inside and outside Use with troughs for gas collection Outer diameter 75mm or 100mm 	
PBVAC01	BELL IN JAR (VACUUM) <ul style="list-style-type: none"> Acrylic bell jar Electric bell operating on 4-6V DC Requires a vacuum pump (not included) 	





PBVAC02	BELL JAR WITH BELL VACUUM PUMP PLATE <ul style="list-style-type: none"> • Copper plate with rubber seal • Hand vacuum pump • This is an integral system with the pump plate & hand vacuum pump. • The plate comes with a rubber seal which facilitates sealing in bell jar experiments. The plate can be used with electric vacuum pumps also. • A rubber seal is provided for copper pump plate. 	
LSBJAR01	BELL JAR 150MM X 250MM STOPPERED <ul style="list-style-type: none"> • Soda glass, with glass ground stopper on top. 	
LSBJAR02	BELL JAR PLASTIC <ul style="list-style-type: none"> • Acrylic transparent clear, with stopper. 	
PBDYNM	BICYCLE DYNAMO MOUNTED <ul style="list-style-type: none"> • This apparatus has a cycle dynamo mounted on a base. • Two 4 mm. socket terminals are provided for the dynamo output, connected in parallel with an M.E.S. lamp holder and 2.5 V bulb 	
LSBVIEW	BIOVIEWER <ul style="list-style-type: none"> • Tough styrene • White reflector provides light • Adjustable eyepiece • Fine quality lens 	






LSBISET	BIOSET Strip of 8 photomicrographs <ul style="list-style-type: none"> • Text folder to explain them • For use with Bio viewer • Available in the following Titles • (1) Animal Cell, (2) Animal tissue, (3) Human Blood, (4) Meiosis, (5) Mitosis (6) Nervous System, (7) Plant Cell, (8) Plant Tissue, (9) Harmful Bacteria, (10) Virus 	
MBSET	BLACKBOARD/CHALKBOARD SET <ul style="list-style-type: none"> • Blackboard/Chalkboard Compass • Blackboard/Chalkboard Protractor • Blackboard/Chalkboard Ruler • Blackboard/Chalkboard Set Square 45 degrees • Blackboard/Chalkboard Set Square 60 degrees 	
CBPIPE	BLOWPIPE	
CBHEAD	BOSSHEAD <ul style="list-style-type: none"> • Made of iron • Used both vertically and horizontally • Suitable for rods up to 16mm 	
GBDROP01	BOTTLE DROPPING AMBER <ul style="list-style-type: none"> • Glass dropper • (1) 30ml, (2) 60ml 	
GBDROP02	BOTTLE DROPPING CLEAR PIPETTE <ul style="list-style-type: none"> • Glass dropper • (1) 30ml, (2) 60ml (3) 125ml 	






GBREAG01	BOTTLE REAGENT PLASTIC STOPPER NARROW NECK <ul style="list-style-type: none"> • Narrow neck • Clear glass • Plastic stopper • Standard shape • (1)125ml (2) 250ml (3) 500ml (4)1000ml 	
GBREAG02	BOTTLE REAGENT PLASTIC STOPPER WIDE NECK <ul style="list-style-type: none"> • Clear glass • Ground-in flat stopper • Standard shape • (1) 250ml (2)500ml 	
GBREAG03	BOTTLE REAGENT GLASS STOPPER NARROW NECK CLEAR <ul style="list-style-type: none"> • Ground-in flat stop • Standard shape • (1) 250ml (2) 500ml (3)1000ml 	
GBREAG04	BOTTLE REAGENT GLASS STOPPER WIDE NECK CLEAR <ul style="list-style-type: none"> • Ground-in flat stopper • Standard shape • (1) 250ml (2) 500ml 	
GBREAG05	BOTTLE REAGENT PLASTIC STOPPER NARROW NECK AMBER <ul style="list-style-type: none"> • Amber glass • Plastic stopper • Standard shape • (1) 250ml (2) 500ml 	






GBREAG06	BOTTLE REAGENT PLASTIC STOPPER WIDE NECK 250ML AMBER <ul style="list-style-type: none"> • Amber glass • Plastic stopper • Standard shape • (1) 250ml (2) 500ml 	
GBREAG07	BOTTLE REAGENT GLASS STOPPER NARROW NECK AMBER <ul style="list-style-type: none"> • Amber glass • Glass stopper • Standard shape • (1) 250ml (2) 500ml 	
GBREAG08	BOTTLE REAGENT GLASS STOPPER WIDE NECK AMBER <ul style="list-style-type: none"> • Amber glass • Glass stopper • Standard shape • (1) 250ml (2) 500ml 	
PBLAW	BOYLES LAW APPARATUS MARRIOT TYPE <ul style="list-style-type: none"> • Demonstrates the relationship between the pressure and volume of a closed quantity of gas at constant temperature. • A gas volume of 50 ml. is closed, in the gas syringe. A pressure gauge is connected to the connection tube of the gas syringe to measure the pressure. • The gas syringe plunger is pushed in or pulled out of the syringe and the volume and the pressure of the gas are reduced 	
GBRSH01	BRUSH TEST TUBE <ul style="list-style-type: none"> • Galvanized wire handle • Sizes: 10 - 12mm, • (1) 12 - 16mm, • (2) 16 - 25mm 	




GBRSH02	BRUSH TEST TUBE WITH COTTON TIP <ul style="list-style-type: none"> Galvanized wire handle Sizes: 12 - 16mm, 16 - 25mm 	
GBRSH03	BRUSH NYLON <ul style="list-style-type: none"> Galvanized wire handle Sizes: (1) 20MM (2) 24MM (3)30MM 	
GBRSH04	BRUSH BURETTE BRISTLE <ul style="list-style-type: none"> Galvanized wire handle 	
GBRSH05	BRUSH CYLINDER	
GBRSH06	BRUSH BOTTLE	
GBRSH07	BRUSH FLASK	
GBRSH08	BRUSH BEAKER	






GBBURN01	BUNSEN BURNER <ul style="list-style-type: none"> • Heavy gauge brass • Tube 11mm diameter with air regulator • Brass inlet tube 10mm diameter 	
GBBURN02	BUNSEN BURNER MEKER TYPE <ul style="list-style-type: none"> • For high temperature work 	
GBBURN03	BUNSEN BURNER WITH STOPCOCK <ul style="list-style-type: none"> • Premium Burner with stopcock • For use with LPG/Butane • Suitable for glasswork and soldering 	
GBCMP01	BURETTE CLAMP DOUBLE METAL <ul style="list-style-type: none"> • High strength casting • With plastic jaws • Spring is positive, allows easy operation without damaging glassware • Suitable for burettes up to 100ml capacity 	






GBCMP02	BURETTE CLAMP DOUBLE PLASTIC <ul style="list-style-type: none"> • High strength • Spring is positive, allows easy operation without damaging glassware • Suitable for burettes up to 100ml capacity 	
CBUR01	BURETTE WITH PTFE S/COCK BOROSCILICATE <ul style="list-style-type: none"> • Amber/blue graduations • Ptfе stopcock • Moulded screw thread for tension adjustment • (1) 25ml (0.1ml graduations) • (2) 50ml (0.1ml graduations) 	
CBUR02	BURETTE ROTOFLOW 50ML	
CSBURN	BURNER SPIRIT <ul style="list-style-type: none"> • Glass spirit lamp • Fitted wick • Porcelain wick holder • (1)150ml (2)250ml 	
EJCAL	JOULES CALORIMETER <ul style="list-style-type: none"> • Metal vessel with lid • Pair of 4mm terminal • Wire heating coil • Stripper 	







ECELSIMP	CELL ELECTROLYTIC SIMPLE CELL <ul style="list-style-type: none"> Lid with two contact sockets One lid with copper and zinc plate electrodes Vessel polypropylene 	
CPER01	CHART: PERIODIC <ul style="list-style-type: none"> Provides a convenient summary of data Large size 1080mm x 480mm Laminated 	
PCLAW	CHARLES LAW APPARATUS <ul style="list-style-type: none"> Comprising of a U-shaped glass 15 mm dia. with one plain limb 220 mm long, one 120 mm graduated limb terminating in a 37mm dia bulb with third limb, jointed at right angles to the plain of the other two. Complete with tall form beaker 1000 ml capacity and stirrer 	
ECBKIT01	CIRCUIT BOARD KIT <ul style="list-style-type: none"> Kit consists of baseboard terminals, set of metal connection pillars and a number of clip-on connections strip and accessories units. 	
ECBKIT02	CIRCUIT BOARD KIT GADE 10-12 <ul style="list-style-type: none"> Kit consists of baseboard terminals, set of metal connection pillars and a number of clip-on connections strip and accessories units. The kit has items for conducting experiments in Electricity, Electrostatics, Magnetism 	







CCLMPR01	CLAMP - RETORT 3 PRONG <ul style="list-style-type: none"> Suitable for article`s from 1mm to 75mm Die cast aluminum Nickel plated brass tommy screw Rubber covered jaws 	
CCLMPR02	CLAMP - RETORT 2 PRONG <ul style="list-style-type: none"> Suitable for articles from 1mm to 75mm Die cast painted Brass tommy screws Cork lined jaws 	
CCLMPR03	CLAMP - RETORT CORK-LINED 4 PRONG <ul style="list-style-type: none"> Suitable for articles from 1mm to 75mm Die cast painted Brass tommy screws Cork lined jaws 	
PCLIN01	CLINOSTAT ELECTRIC <ul style="list-style-type: none"> For demonstration of heliotropism and geotropism. Germinating seedlings are pinned to the cork table which is rotated by an electric motor at 4 revolutions per hour. The motor is spindle mounted and may be clamped so that the place of the table can be set at any angle between horizontal and vertical. An acrylic cover is provided for the cork table to shield the seedlings from droughts. Diameter of cork disc 100 mm 	
PCLIN02	CLINOSTAT MANUAL <ul style="list-style-type: none"> To runs 30 hours in vertical or horizontal position, with clock movements based on heavy metal stand. 	







GCLIP01	CLIP HOFFMAN SCREW 20MM <ul style="list-style-type: none"> • Clamping screw • Nickel plated brass • 20mm width between bars 	
GCLIP02	CLIP MOHR <ul style="list-style-type: none"> • Iron, Nickel-plated, good quality for schools. 	
ECLFLN	CLOTH FLANNEL <ul style="list-style-type: none"> • 150x150mm 	
GCLAB	COAT DUST LAB WHITE <ul style="list-style-type: none"> • (1)SMALL (32-34) • (2)MED (36-38) • (3)LRG (40-42) • (4)XLRG (44-46) 	
PGFETHA	GUINEA & FEATHER APPARATUS <ul style="list-style-type: none"> • Glass tube is 50cm (20") long and 16mm diameter with two rubber bungs, one carrying brass, and 40cm long pressure rubber tubing to connect to vacuum pump. 	






PCITDIM	COLLISION IN TWO DIMENSIONS <ul style="list-style-type: none"> • This apparatus consists of a curved track with a base at one end. • On the base is a support to hold a ball at the proper height for a center to center collision with a second ball rolling down the track. • The track is level so collision occurs only in the horizontal plane, simplifying calculations. Consists of 25cm one piece track, 3 balls 12mm diameter, 2 steel, 1 glass and 1 plumb bob. • Requires a clamp to attach to the end of a table. 	
PCBALLS	COLLISION BALLS (NEWTON CRADLE) <ul style="list-style-type: none"> • Newton's Cradle with 5 balls. • Completely assembled. Size 200 x 150 x 180 mm 	
PCVESS	COMMUNICATION VESSEL/LIQUID LEVEL <ul style="list-style-type: none"> • 4 glass tubes of different shapes • Cross-sectional area projecting vertically from a common horizontal tube • Tubes mounted 	
ECPLOT	COMPASS PLOTTING <ul style="list-style-type: none"> • Dial marked with principal points of compass • Needle pivoted between top and bottom glass plates • 20mm ø 	
ECPOCKT	COMPASS POCKET 35MM <ul style="list-style-type: none"> • Needle enclosed in rotatable housing • Clockwise 0 - 360° scale • North/South index lines • 35mm ø 	






GCLIEG	CONDENSOR LIEBIG 300MM <ul style="list-style-type: none"> Suitable for both distillation and reflux Turbulent flow within the water jacket ensures efficient cooling 	
ECNDA01	CONDUCTIVITY APPARATUS INGENHAUS <ul style="list-style-type: none"> Consists of 5 metal rods of different materials having equal lengths mounted in sheet metal box 150 x 90 x 100mm with corks 	
ECNDA01	CONDUCTIVITY APPARATUS THERMAL <ul style="list-style-type: none"> Shows difference in thermal conductivities Strips of copper, iron, aluminium and brass Hollow for wax Mounted on wooden ring Strips 80 x 20 x 2mm 	
PCLIQAPP	CONVECTION IN LIQUID APPARATUS	
GCBOR01	CORK BORER <ul style="list-style-type: none"> Nickel plated Supplied complete with push rod Set of 6 	







GCBOR02	CORK BORER PLASTIC HANDLE <ul style="list-style-type: none"> Useful for both rubber stoppers and corks. Sharpened nickel plated brass tubing with attached handles. 	
GCWOOL	COTTON WOOL <ul style="list-style-type: none"> absorbent Roll of (1) 50gm (2) 500gm 	
BCOVER	COVERSLIPS <ul style="list-style-type: none"> Made of sheet glass Best quality (1) 18 x 18mm, (2) 22 x 22mm, (3) 22mmx40mm (3) 22x50mm 	
ECCROC	CROCODILE CLIP (1) BLACK (2) RED	
PCRAD01	CROOKS RADIOMETER <ul style="list-style-type: none"> Demonstration radiometer Spins up to 2900rpm from heat of sun 	
GCTONG	CRUCIBLE TONGS <ul style="list-style-type: none"> General purpose, metal tongs, widely used for handling and manipulating hot apparatus. Tips are serrated Available in (1) Bow (2) Straight • Stainless Steel/Iron	






GCRUCIB	CRUCIBLE WITH LID <ul style="list-style-type: none"> • Porcelain • Glazed inside and outside • Unglazed base • Lids with ringed handles • (1)25ml or (2) 50ml 	
MCUPSM	CUP & SPOON MEASURING SET <ul style="list-style-type: none"> • Measuring set • For food technology 	
PCMETAL	CUBE METAL <ul style="list-style-type: none"> • Set of six, 10 mm side, comprising brass, lead, iron, copper, aluminum, zinc. Supplied in plastic box 	
GMCYLG	CYLINDER MEAS +SPOUT GLASS <ul style="list-style-type: none"> • Graduated • Spouted • Glass Sizes Available (1)5ml (2)10ml (3) 25ml (4) 50ml (5) 100ml (6) 250ml (7) 500ml (8) 1000ml	
GMCYLP	CYLINDER MEASURING PP (PLASTIC) <ul style="list-style-type: none"> • Graduated • Spouted Sizes Available (1)10ml (2)25ml (3) 50ml (4) 100ml (5) 250ml (6) 500ml (7) 1000ml (8) 2000ml	
GSDEFL	DEFLAGRATING SPOON <ul style="list-style-type: none"> • Complete with brass flange and cork stopper 	

GDTUBE	DELIVERY TUBE WITH BENT ELBOW <ul style="list-style-type: none"> Bent metal tube, with length of clear 6mm plastic tube attached, for fitting into rubber stoppers 	
PDIFGRAT	DIFFRACTION GRATINGS <ul style="list-style-type: none"> For demonstrating the principle of the diffraction grating and the way in which its properties are dependent upon the number of lines per unit length. Card mount 90 x 40 mm approximately with three 16 x 9 mm apertures, each containing a diffraction grating replica. The grating are of 100 lines / mm, 300 lines / mm and 600 lines /mm respectively and protected cover glasses 	
GPETR01	DISH PETRI 60MM <ul style="list-style-type: none"> Glass Sizes available (1)60 x 12mm (2)100 x 15mm	
GPETR02	DISH PETRI DISPOSABLE <ul style="list-style-type: none"> Plastic (1) 65mm (2) 90mm 	
LSKDISS	DISSECTING SET All in PVC pouch with zip Comprising of: <ul style="list-style-type: none"> - 1 Scalpel handle no. 3 - 3 Scalpel blades no. 11 - 1 Needle with eye - 1 Seeker - 1 Forcep, sharp - 1 Forcep, blunt - 1 Scissor, sharp - 1 Scissor, blunt 130mm 	
PDVESEL	DISPLACEMENT VESSEL (EUREKA CAN) <ul style="list-style-type: none"> You can measure the volume of a solid object by placing it in this can of water. The amount of water it displaces is equal to that of its volume. 	

GDROPG	DROPPER PIPETTE <ul style="list-style-type: none"> • Straight glass tube • Latex teat • Length: 90mm • Outer diameter: 7 - 8mm 	
GDROPP	DROPPER PIPETTE PLASTIC 3ML	
PDYNS	DYNAMO SIMPLE <ul style="list-style-type: none"> • Hand generator, with motor housed in transparent plastic pistol grip case with built in lamp. • A stimulating addition to any lesson on energy conversion, electricity or magnetism as the generator directly involves the students in investigations by using their own energy to generate D.C electricity 	
PELECFA	ELECTRIC FIELD APPARATUS <ul style="list-style-type: none"> • The apparatus enables electric field patterns to be shown in much the same way that magnetic fields are demonstrated with iron fillings, either by direct viewing or on an overhead projector. • The apparatus comprises a clear plastic dish 90 x 12 mm diameter x depth, and base 140 x 125 mm. Alongside each terminal is a thumbscrew system which permits fine height adjustment of the electrodes. • Six electrodes are supplied, two 'point source' two 'line source' and two circular rings of 35 and 70 mm dia. 	
PEPLATE	ELECTRODE PLATE <ol style="list-style-type: none"> (1) Copper - 120 x 20 mm (2) Lead - 120 x 20 x 1mm (3) Zinc - 120 x 20 x 1mm 	






ERODC	ELECTRODE ROD CARBON	
EELCMAG	ELECTROMAGNET	
EEFLASK	ELECTROSCOPE FLASK <ul style="list-style-type: none"> A glass conical flask, brass rod with disc and gold leaf attached supported rubber cork. 	
PKITESTAT	ELECTROSTATIC KIT Consisting of: <ul style="list-style-type: none"> Electroscope 2 x Perspex Strip 2 x Polythene Strip Stand for Strip Cloth Flannel 	
PKITECNV	ENERGY CONVERSION KIT Consisting of: <ul style="list-style-type: none"> Large and Small motor generator Flywheel unit/ Line Shaft unit Lamp Triple unit/ Mounted 12v 24w Head of water/ Turbine Pump unit Handwheel driving/ Spring unit Eddy current unit Mounted motor solar cell Steam generator 	







GEBAS01	EVAPORATING BASIN <ul style="list-style-type: none"> • Borosilicate Glass • Round Bottom with Spout • 100ml/ 80X45MM 	
GEBAS02	EVAPORATING BASIN <ul style="list-style-type: none"> • Glass • 90mm/200ml 	
GEBAS03	EVAPORATING BASIN <ul style="list-style-type: none"> • Porcelain • With spout • (1) 125ml (2) 250ml 	
PFBODY	FALLING BODIES APPARATUS <ul style="list-style-type: none"> • Demonstrate the effect of gravity on falling bodies 2 metal spheres included 	
GFPAPER	FILTER PAPER <ul style="list-style-type: none"> • General purpose • Medium filtering speed • Pack size of 100 <p>Sizes available</p> <ul style="list-style-type: none"> • (1) 12.5cm (2) 15cm 	
SKITFAID	FIRST AID KIT IN METAL BOX <ul style="list-style-type: none"> • Large Classroom Kit • Metal Box • Regulation 3 	






GFLSKFB	FLASK BOILING FLAT BOTTOM <ul style="list-style-type: none"> Flat bottom Borosilicate glass Narrow neck Available Size <ul style="list-style-type: none"> (1) 100ml (2) 250ml (3) 500ml 	
GFLSKRB	FLASK BOILING ROUND BOTTOM <ul style="list-style-type: none"> Narrow neck Size Available <ul style="list-style-type: none"> (1) 250ml (2) 500ml 	
GFLSKFIL	FLASK FILTER 250ML CONICAL WITH SIDE ARM	
GFDISTIL	FLASK DISTILLATION Sizes available <ul style="list-style-type: none"> (1) 125ml (2) 250ml (3) 500ml 	
GFERLEN	FLASK ERLENMEYER (Conical) <ul style="list-style-type: none"> Conical Borosilicate glass Narrow neck Graduated Sizes available <ul style="list-style-type: none"> (1) 25ml (2) 50ml (3) 100ml (4) 250ml (5) 500ml (6) 1000ml 	

GFVOLUM	FLASK VOLUMETRIC <ul style="list-style-type: none"> One mark Interchangeable pvc stopper Sizes Available (1)25ml (2) 50ml (3) 100ml (4)250ml (6) 500ml (7) 1000ml	
BFDIS01	FORCEP DISSECTING <ul style="list-style-type: none"> Sharp Narrow flutes Stainless steel (1) 112mm (2)125-130mm 	
BFDIS02	FORCEP DISSECTING <ul style="list-style-type: none"> Blunt Narrow flutes Stainless steel (1) 112mm (2)125-130mm 	
PFTUNING	FORK TUNING <ul style="list-style-type: none"> Quality steel Prong lengths: 85 - 120mm Frequency Hz: (1) 256C (2) 320E (3)512C 	
GFCOLUM	FRACTIONATING COLUMN	
PFUMCUB	FUME CUPBOARD PORTABLE <ul style="list-style-type: none"> Simple type wood and Perspex construction for extraction of fumes. Clear Perspex with front that folds up in two stages 	





GFBUC75	FUNNEL BUCHNER PORCELAIN 75MM	
GFFILTP	FUNNEL FILTER <ul style="list-style-type: none"> PVC (1) 50mm (2) 75mm 	
GFFILTG	FUNNEL FILTER <ul style="list-style-type: none"> Short stem Sizes Available (1) 50mm (2) 75mm (3) 100mm (4) 120mm (5) 150mm	
GFSEPAR	FUNNEL SEPARATING +S/COCK <ul style="list-style-type: none"> Glass Conical/pear shape Interchangeable stopper Size Available <ul style="list-style-type: none"> (1) 100ml (2) 125mm (3) 250ml (4) 500ml 	
GFTHISTL	FUNNEL THISTLE <ul style="list-style-type: none"> Soda glass 300mm 	
TGCLAMP	G-C LAMP <ul style="list-style-type: none"> Cast iron Sizes Available <ul style="list-style-type: none"> (1) 50mm (2) 75mm (3) 100mm (3) 150mm 	
EGALVAN	GALVANOMETER 30-0-30 <ul style="list-style-type: none"> Moving coil Colour-coded 4mm socket terminals Zero adjustment scale 	






GGSYRG	GAS SYRINGE GLASS 100ML	
GGWIRE	GAUZE WIRE <ul style="list-style-type: none"> Stout iron wire, Ceramic centre (1) 100X100mm (2) 120X120mm (3) 160 x 160mm 	
PGVDG	GENERATOR VAN DE GRAAFF + ACCESSORIES <ul style="list-style-type: none"> Specially designed for electrostatic experiments and where continuous source of high voltage is required. Fitted on base with smooth running AC Motor, operates on 110 or 220 volts AC. Charge collecting Belt : Silicon rubber having excellent insulation resistance. Tracking : Belt-tracking easily adjusted. Charge collecting combs : Aluminum mesh, clearly visible Spheres : Aluminum 150mm dia 	
GWGLOBE	GLOBE 30CM - POLITICAL	
SGLOVE	GLOVES EXAMINATION <ul style="list-style-type: none"> Latex (1) Medium (2) Large 	
SGOGLES	GOGGLES SAFETY <ul style="list-style-type: none"> Plastic Also available in Spectacle type 	






EHPLATE	HOTPLATE <ul style="list-style-type: none"> • Enameled metal case • Mains cable 220V AC With switch • (1) Solid Single Plate (2) Solid double plate (3) Double Spiral plate 	
GHWDRY	HYGROMETER WET & DRY <ul style="list-style-type: none"> • Polypropylene plastic case • Lid and bulb protectors • Detachable plastic water cistern • Supplied with hygrometric tables- Range: -5° - 55°C 	
CIPAPER1	INDICATOR PAPER <ul style="list-style-type: none"> • (1) Litmus blue (2) Litmus red • (3) Cobalt paper • Books of 20 Leaves 	
CIPAPER2	INDICATOR PAPER UNIVERSAL <ul style="list-style-type: none"> • BOOKS OF 20 LEAVES • PH 1-14 • PH 1-10 	
TICREAM	ICE CREAM STICKS PKT 50/100	
PINDCOIL	INDUCTION COIL DEMONSTRATION <ul style="list-style-type: none"> • With primary of heavy gauge enameled copper wire, approximate resistance 0.5 ohms wound on former 110 x 30 mm length x diameter. • Secondary coil of fine enameled copper wire, approximately resistance 100 ohms on former 120 x 82 mm length x diameter. • Both coils fitted with 4 mm sockets. Iron core 160 x 15 mm length x diameter 	








GJGAS	JAR GAS <ul style="list-style-type: none"> • Ground flange • With cover plate • Sizes: 50mm \varnothing x 150mm or 50mm \varnothing x 200m 	
MJUGP	JUG PLASTIC <ul style="list-style-type: none"> • Sizes available 250ml, 500ml, 1000ml 	
PKINETIC	KINETIC THEORY MODEL <ul style="list-style-type: none"> • Demonstrate the kinetic gas theory with this apparatus • Small electric motor vibrates platform so the metal balls vibrate violently • Supplied with balls and 2 floats 	
GKGENG	KIPPS APPARATUS GAS GENERATOR Glass <ul style="list-style-type: none"> • Cylindrical base • With tubular stopcock • Interchangeable fittings • Rubber centre collar • 500ml or 1000ml 	
GKGENGP	Polypropylene <ul style="list-style-type: none"> • 250ml 	
KIT4-701	KIT: GRADE4-7 NATURAL SCIENCES AND TECHNOLOGY – (5 GROUPS) <ul style="list-style-type: none"> • Covers the CAPS curriculum for intermediate phase and grade 7 • Group participation kit for up to 5 groups in a classroom • Housed in topic utility boxes for easy management of equipment • Complete with experiment notes 	







KIT4-702	<p>KIT: GRADE4-7 NATURAL SCIENCE AND TECHNOLOGY - 10 GROUP</p> <ul style="list-style-type: none"> Covers the CAPS curriculum for intermediate phase and grade 7 Group participation kit for up to 10 groups in a classroom Housed in Metal Cabinet with topic trays for easy management of equipment Complete with experiment notes 	
KIT8-901	<p>KIT: GRADE 8-9 NATURAL SCIENCE - 5 GROUP</p> <ul style="list-style-type: none"> Covers the CAPS curriculum for Senior Phase Group participation kit for up to 5 groups in a classroom Housed in topic utility boxes for easy management of equipment Complete with experiment notes 	
KIT8-902	<p>KIT: GRADE 8-9 NATURAL SCIENCE - 10 GROUP</p> <ul style="list-style-type: none"> Covers the CAPS curriculum for Senior Phase Group participation kit for up to 10 groups in a classroom Housed in Metal Cabinet with topic trays for easy management of equipment Complete with experiment notes 	
KITPS10-12	<p>KIT: GRADE 10-12 PHYSICAL SCIENCES</p> <ul style="list-style-type: none"> Housed in a Lockable metal Cabinet <p>Topic include</p> <ul style="list-style-type: none"> Force and Mechanics Wave, Sound and Light Electricity, Electrostatics, Magnetism Matter and Materials Chemical Change and Chemical Systems Classroom Periodic Table Molecular Model Experiment Notes and Safety data sheets 	








KITLS10-12	<p>KIT: LIFE SCIENCES GRADE 10-12 (5 GROUP)</p> <ul style="list-style-type: none"> • Group participation kit for up to 5 Groups in the classroom • Housed in a Metal Cabinet with trays for easy management of equipment • Microscope and Accessories included 	
KITLCHEM	<p>KIT: LEARNER CHEMISTRY</p> <ul style="list-style-type: none"> • Ideal for group work in a classroom • Suitable for Grades 4-12 	
KITMIC	<p>KIT: MICROSCOPE</p> <ul style="list-style-type: none"> • Complete with Accessories and Instruction Manual • Microscope with mirror 400 x Magnification • Accessories include: • Prepared Slides depending on Grade, Slides, Coverslips, dissecting Kit, Coverslips, Dissecting board and Stains and equipment for preparation of own slides 	
KITMAT	<p>KIT MATHMATETICS</p> <ul style="list-style-type: none"> • COVERS THE CAPS CURRICULUM • FOUNDATION PHASE (GRADE R-3) • INTERMEDIATE PHASE (GRADE 4-7) • SENIOR PHASE (GRADE 8-9) 	







KITECK	KIT: TECHNOLOGY GRADE 8-9 <ul style="list-style-type: none"> Designed for the new CAPS curriculum Senior Phase Technology Contains a wide range of resources to investigate Structures, Processing and Systems and Control Contains enough resources group work Comes in a sturdy Utility tub with wheels. 	
KITLIGHT	KIT: LIGHT/OPTICS <ul style="list-style-type: none"> This Optics kit is truly exceptional value for money. It contains enough components to cover investigations and experiments into ray optics, reflection, refraction, colour mixing, absorption, focal length measurement etc. 	
KITMOTOR	KIT: ELECTRIC MOTOR FULL SIZE <ul style="list-style-type: none"> The kit comprises all the part required to build 6 model motors as in the electromagnetic kit 	
KITDYN	KIT: DYNAMICS COMPLETE <ul style="list-style-type: none"> An economical way to teach dynamics including, but not limited to, position, velocity, acceleration, force, elastic and in elastic collisions, momentum, conservation of energy, and much more. If you are looking to get started teaching physics, or need to revamp your mechanics labs this is the perfect kit 	
KITEL10-12	KIT: ELECTRICITY GRADE 10-12 <ul style="list-style-type: none"> Kit consists of baseboard terminals, set of metal connection pillars and a number of clip-on connections strip and accessories units. The kit has items for conducting experiments in Electricity, Electrostatics, Magnetism 	

KITWMIN	KIT: ELECTROMAGNETIC WESTMINSTER Comprises of 8 ticonal magnets, 8 magnadur magnets, 4 steel yokes, 4 plotting compasses, 4 formers of compasses, 1 bottle fine iron filling (approx. 500g), 4 each double C-cores, 4 clips for C-cores, 2 aluminum rings, 2 split aluminum rings, 4 support bases, 4 armature with axle rods, 8 split pins, 24 rivets, 1 length rubber tubing, 4 formers for coils, 2 rolls of cello tapes, 4 reel of copper wire, 4 sheets plain postcards, 1 reel white cotton, 4 each carbon resistors of 10 ohm & 10 ohms, 8 flash lamp bulbs, 5 neon bulbs, 8 M.E.S. bulb holders, 1 wooden clamp and 4 wooden rods	
KITFBORD	KIT: FORCE BOARD WITH SPRING BALANCES <ul style="list-style-type: none"> • Compact & Low Maintenance. The back board is hard-wearing with a printed grid and is bench-standing. Detachable feet for easy storage ball bearing pulleys three hooks thread and mass set 	
CKNIFP	KNIFE PALLET <ul style="list-style-type: none"> • Stainless steel • Parallel sided blade • Wooden handle • 100mm/150mm/200mm/250mm 	
PLAMP	LAMP - SPECTRUM <ul style="list-style-type: none"> • CARBON DIOXIDE • HELIUM • HYDROGEN • NEON • NITROGEN • OXYGEN 	
PLAMPS	LAMP - SPECTRUM - TUBE HOLDER	







FLSTOOL	LABORATORY STOOLS <ul style="list-style-type: none"> • Tubular steel • Plastic seat • Sizes: 460mm and 690mm 	
CLJACK	LABORATORY JACK <ul style="list-style-type: none"> • Adjustable height max. 290 mm. • Both plates are anodised. • Size 15 x 13.5 cm/20xcmx20cm 	
ELMES	LAMP HOLDER - MES	
ELAMP	LAMP SCREW FITTING <ul style="list-style-type: none"> • 1.5V • 2.5V • 3.8V 	
ELEADBB	LEAD - BANANA TO BANANA <ul style="list-style-type: none"> • Black/Red • 500mm/1meter 	
ELEADCB	LEAD - CROC TO BANANA <ul style="list-style-type: none"> • Black/Red • 500mm/1meter 	
ELEADCC	LEAD - CROC TO CROC <ul style="list-style-type: none"> • Red or black • Insulated crocodile clips on each end • 330mm/500mm/1000mm long 	






PLCCAVE	LENS CONCAVE <ul style="list-style-type: none"> Focal Length 100/150/200/300 	
PLCCVEX	LENS CONVEX <ul style="list-style-type: none"> Focal Length 100/150/200/300 	
PLHOLD	LENSHOLDER WOODEN <ul style="list-style-type: none"> Wooden to take lenses or mirrors up to 76 mm diameter. Comprising an upright 100 mm high, with V shape slot to hold a convex or concave lens, mounted on rectangular base 100 x 50 mm An index mark is engraved on each end of the base. 	
CLCOVAP	LIQUID CONVECTION APPARATUS	
PLEAPP	LINEAR EXPANSION APPARATUS <ul style="list-style-type: none"> Apparatus is fitted on heavy channel base, at one end of which is an adjusting screw; at the opposite end is a micrometer screw reading to 0.01 mm for measuring the expansion. Supplied with one each of aluminum, brass and iron expansion rods but WITHOUT thermometer 	
LSMLUNG	LUNG DEMONSTRATION MODEL <ul style="list-style-type: none"> A view of how the lungs work. This simple, yet effective apparatus consists of two sacs which represent the lungs, a rubber membrane which serves as the diaphragm and a clear plastic enclosure which models the chest cavity 	





EMAG01	MAGNET ALNICO BAR <ul style="list-style-type: none"> 50MM, 75mm and 150mm 	
EMAG02	MAGNET BAR <ul style="list-style-type: none"> 6% chrome steel 75mm, 100mm and 150mm 	
EMAG03	MAGNET CYLINDRICAL <ul style="list-style-type: none"> 100 X 10MM 	
EMAG04	MAGNET HORSESHOE <ul style="list-style-type: none"> 6% chrome steel 75mm or 100mm 	
LSMAG01	MAGNIFIER HAND <ul style="list-style-type: none"> plastic mount with handle Size available – 50mm/75mm/80mm/100mm 	
LSMAG02	MAGNIFIER POCKET TRIPLE <ul style="list-style-type: none"> Fitted in plastic frame. Triple Folding Magnifier 10x Lens diameter 25 mm 	
PMMETER	MANOMETER WITH BASE <ul style="list-style-type: none"> Large scale manometer comprises of an open ended glass U tube mounted on hardwood base supported on a heavy support. A Meter scale is also mounted between the U tube 	






PMASS01	MASS HANGER BRASS <ul style="list-style-type: none"> Brass Mass hanger with top hook 10G/20G/50G/100G 	
PMASS02	MASS SLOTTED BRASS <ul style="list-style-type: none"> 10G/20G/50G/100G 	
PMASS03	MASS SLOTTED WITH HANGER A) Total weight 1kg available in Brass and Zinc · 100gm hanger, · 9 x 100gm weights B) Total weight 100gm - Brass · 10gm hanger, · 9 x 10gm weights C) Total weight 200gm Brass 20gm hanger, 9 x 20gm weights D) Total weight 500gm Brass 50gm hanger, 9 x 50gm weights	
PMASS04	MASS PIECE IRON <ul style="list-style-type: none"> 50G/100G/200G/500/1KG 	
LSMS01 LSMS02	MICROSCOPE SLIDE PLAIN G/E 76 X 26MM MICROSCOPE SLIDE FROSTED 76 X 26MM	
LSMIC01	MICROSCOPE MONOCULAR + L/SOURCE <ul style="list-style-type: none"> • Eyepiece H10X; Triple nosepiece; Objective 4X, 10X, 40X; Metal stage with paired clips • Disc diaphragm w/ five aperture, Plano-concave mirror, $\Phi 50\text{mm}$, 0.65 • Condenser, Iris diaphragm • Coarse & fine focus, Anti crash device • Mirror illumination 	




LSMIC02	MICROSCOPE 100C WITH 100 X OIL +MEC STAGE M-100FL <ul style="list-style-type: none"> • Monocular head, 45° inclined, 360° rotating • Eyepiece : WF10X18mm • Achromatic Objective: 4X, 10X, 40XS and 100 XS (oil) • Magnification: 40X, 100X, 400X, 1000X • Quadruple nosepiece • Abbe condenser N.A. 1.25, iris diaphragm with filter holder • 115X125mm double layer mechanical stage • Focus: Separate coarse and fine focusing mechanism • Illuminator: Built-in 230V/20W bulb 	
LSMIC03	MICROSCOPE BINOCULAR BM100 <ul style="list-style-type: none"> • Binocular head, 45° inclined, 360° rotating • Eyepiece : WF10X18 mm • Achromatic Objective: 4X, 10X, 40XS and 100XS (Oil) • Magnification: 40X, 100X, 400X, 1000X • Quadruple nosepiece • Abbe condenser N.A. 1.25, iris diaphragm 110mm X120mm plain stage • Focus: Separate coarse and fine focusing mechanism, Illuminator: Built-in 230V/20W tungsten bulb 	
LSMIC04	MICROSCOPE BINOCULAR STEREO <ul style="list-style-type: none"> • Binocular Head Inclined at 45° • 20x + 40x magnification • Solid pillar stand • Top & bottom illumination 	
BMPSLIDE	MICROSCOPE SLIDE: PREPARED SET OF 45 <ul style="list-style-type: none"> • Also available individually 	






PMCVEX	MIRROR CONVEX 50MM FL 50MM / FL 100MM FL 150MM/ FL 200MM	
PMCCAVE	MIRROR CONCAVE 50MM <ul style="list-style-type: none"> • FL 50MM • FL 100MM • FL 150MM • FL 200MM 	
CMATOMIC	MODEL ATOMIC ORG/INORG LARGE <ul style="list-style-type: none"> • This set consists of 150 lugs and 370 balls of prescribed colours and sizes packed in a moulded box having separate spaces for every colour and size of ball. • Very helpful in modelling different organic and inorganic compounds 	
LSMAIDS	MODEL: AIDS <ul style="list-style-type: none"> • Aids (HIV) virus Model • Enlarged millions of times 	
LSMACELL	MODEL: ANIMAL CELL 3 Dimensional <ul style="list-style-type: none"> • Shows form, structure and cell relationships of the cell • Cross section mounted on plastic base • Fitted with transparent removable sections • Numbered and colour coded 	
LSMBRAIN	MODEL: BRAIN <ul style="list-style-type: none"> • Natural cast • Dissectible vertically in halves • Mounted on a base 	







LSMDSYS	<p>MODEL: DIGESTIVE SYSTEM</p> <ul style="list-style-type: none"> Model of human digestive system showing nose, mouth cavity and pharynx, esophagus the gastrointestinal tract, liver with gall bladder pancreas and spleen, duodenum, cecum and rectum are opened 	
LSMDNA	<p>MODEL: DNA STRUCTURE</p> <ul style="list-style-type: none"> Simplified representation of a short segment of double-stranded DNA Plastic Identified by colours Height: $\pm 500\text{mm}$ Containing 10 paired nucleotides Mounted on plastic base 	
LSMEAR	<p>MODEL: EAR</p> <ul style="list-style-type: none"> Enlarged Made from rigid plastic Dissectible into 3 parts Coloured and finished to show all features Mounted on a stand 	
LSMEYE	<p>MODEL: EYE</p> <ul style="list-style-type: none"> Enlarged 4 times Cross section through the eye Showing sclera, choroid, retina optic nerve, vitreous body, lens, iris, ciliary body and cornea Retinal and choroidal vascular system also shown 	
LMFLWER	<p>MODEL TYPICAL FLOWER</p> <ul style="list-style-type: none"> Enlarged view of a typical flower. Model with cut-away sections to show the major parts stem, sepal, petal, stamen and pistil 	






LSMHEART	<p>MODEL: HEART</p> <ul style="list-style-type: none"> • Enlarged • Made from rigid plastic • Dissectible into 3 parts • Coloured and finished to show all features • Mounted on a stand 	
LSMKDEY	<p>MODEL: KIDNEY</p> <ul style="list-style-type: none"> • Dissected into halves • Shows all the main features 	
LSMMEIO	<p>MODEL: MEIOSIS</p> <ul style="list-style-type: none"> • Depicts process of cell division in sex cells • Able to identify chromosomes, cytoplasm, chromatin, polar bodies and diploid cells • Sperm/Ovum formations and fertilization 	
LSMMITOS	<p>MODEL: MITOSIS</p> <ul style="list-style-type: none"> • Demonstrates cell division and identifies cell parts and structure • 5 phases of mitosis • Components of cell: cytoplasm, nucleus, nucleolus, chromatin threads centioles, aster, spindle, chromosomes and centromere 	
LSMPCELL	<p>MODEL: PLANT CELL</p> <ul style="list-style-type: none"> • This hand painted model shows electron microscopic detail of a typical plant cell. It shows ectoplast, endoplast, tonoplast, vacuoles, nuclear structure, plastids, mitochondria and more. It is mounted on a base. 	






LSMSKEL	<p>MODEL: SKELETON HUMAN</p> <ul style="list-style-type: none"> • Full size • Fully articulated • Skull is divisible into 3 parts • Arms and legs are detachable • Supplied with roller stand • 	
LSSKIN	<p>MODEL: HUMAN SKIN 70 TIMES</p> <ul style="list-style-type: none"> • Three layers • Close-up view of a hair follicle, sweat gland, fatty tissue and more • Front, side and back view • Mounted on plastic base • Not dissectible 	
LSMSCRD	<p>MODEL SPINAL CORD</p> <ul style="list-style-type: none"> • Model shows spinal nerves, spinal ganglion and spinal cord in cross section 	
LSMTRSO	<p>MODEL: TORSO</p> <ul style="list-style-type: none"> • Natural size • Separates into many parts • Available Sexless and Male and Female 	
LSMVILUS	<p>MODEL VILLUS</p> <ul style="list-style-type: none"> • Representation of an entire villus of one longitudinally sectioned villus to show arterioles and venules and of one cut villus to show the lymphatic vessels. • With enlarged representation of a longitudinal section of one crypt of Lieberkuehm 	

LSMURSY	<p>MODEL URINARY SYSTEM</p> <ul style="list-style-type: none"> This hand painted model is natural sized showing the kidneys, ureters, adreanal glands, bladder, and prostate. The large abdominal right kidney is sectioned to show all anatomical details. It is mounted on a base 	
GMPES01	<p>MORTAR & PESTLE PORCELEIN</p> <ul style="list-style-type: none"> Porcelain, grinding surface unglazed 100MM 150ml Capacity 130MM 275ml Capacity 160MM 550ml Capacity 180MM 900ml Capacity 200 MM 230MM 	
GMPES02	<p>MORTAR & PESTLE GLASS 90MM/120mm</p> <ul style="list-style-type: none"> Glass 90mm/120mm Rough inside Pestle With sand blasted head 	
EMMETER	<p>MULTIMETER</p> <ul style="list-style-type: none"> Multimeter with LCD digital readout display enables quick, easy and accurate measurement of volts A.C. or D.C 	
LSDNEDLE	<p>NEEDLE DISSECTING</p> <ul style="list-style-type: none"> Needle, 33 mm length mounted in 100 mm plastic handle. 	
PMICSG	<p>MICROMETER SCREW GUAGE</p> <ul style="list-style-type: none"> Made with hardened and ground screw Thimble with ratchet Lever lock to spindle Frame fitted with heat-insulating cover Satin chrome overall Range 0 - 25 x 0.01mm precision 	








ENMAG	NEEDLE MAGNETIC <ul style="list-style-type: none"> Carbon steel with jewel bearing for pivoting. 	
ENMAGS	NEEDLE MAGNETIC STAND <ul style="list-style-type: none"> Non-magnetic metal pillar with carbon steel point, on stable base, overall height 110 mm 	
POBENCH	OPTICAL BENCH <ul style="list-style-type: none"> Single aluminum channel graduated Optical bench fitted on two sturdy metal feet with levelling screws. Complete with heavy sliders having fine index marks and accessories 	
COS46BU	ORGANIC CHEMISTRY SET GLASS 46BU This set contains 11 items of 19/26 ground joint. Packed in die cut foam lined box. <ul style="list-style-type: none"> Consists of <ul style="list-style-type: none"> 1 Dropping funnel, 100 ml 1 Air leak / steam inlet tube 1 Liebig condenser 1 Receiver adapter 1 Stopper 1 Flask, round bottom, 250 ml 1 Cone / screwcap adapter 1 Still head 1 Flask, pear shaped 100 ml 1 Filter funnel, 24 mm. dia. perforated plate 1 Flask, Buchner, 100 ml 	
GPTROLL GPTSTAND	PAPER TOWEL ROLL 210MMX1500M PAPER TOWEL METAL STAND	









PPBOB	PENDULUM BOB <ul style="list-style-type: none"> • Brass Ball • 18mm/25mm • Drilled for lab demonstrations • Approx. 2.5mm drilled hole 	
CPHTEST	PH TESTER POCKET <ul style="list-style-type: none"> • Pocket size, splash proof, ideal for pH spot reading to 0.1 pH. Large, easy to read LCD display. 	
CTPIPE	PIPECLAY TRIANGLE 63MM <ul style="list-style-type: none"> • On stout iron wire • Pipe clay stems 	
CPIPFIL	PIPETTE FILLER RED RUBBER <ul style="list-style-type: none"> • Made of rubber, Bulb type. Bulb diameter is 54 mm. 	
CPPUMP	PIPETTE FILLER PI – PUMP 25ML <ul style="list-style-type: none"> • Fast release pipetting device for precise pipetting & zip quick emptying 	
CPGRAD	PIPETTE GRADUATED <ul style="list-style-type: none"> • Glass, graduated • For delivery to jet • Zero mark at top • Subdivided • 1ml/2ml/5ml/10ml/25ml 	








CPIPVOL	PIPETTE VOLUMETRIC ONE MARK Glass <ul style="list-style-type: none"> • One mark • 1ml/5ml/10ml/25ml/50ml 	
CPTROUG	PNEUMATIC TROUGH 240 X 125MM <ul style="list-style-type: none"> • Glass • Circular • Approximate sizes: 240 x 125mm 	
PTROUGP	PNEUMATIC TROUGH ROUND PLASTIC 180MM <ul style="list-style-type: none"> • These troughs, made of polypropylene, are autoclavable 	
LSPOTFMS	POTOMETER FARMERS <ul style="list-style-type: none"> • Measures the uptake of water by a cut plant shoot • Central reservoir with 3-hole stopper • Holds capillary tube • Graduated in mm • Funnel with stopcock • Short length of 10mm glass tubing 	
LSPOTGAN	POTOMETER GANONGS <ul style="list-style-type: none"> • For demonstration of transpiration rates and rates of water absorption by a cut shoot under various external conditions. Apparatus mounted on wooden base with Glass stopcocks by clips 	







EPSUP01	POWER SUPPLY 2-12V AC/DC <ul style="list-style-type: none"> This is very useful power supply. It gives the DC voltages as well as AC voltage from 2V - 12V in steps of 2 volts at 5 Amp. capacity 	
EPSUP02	POWER SUPPLY 6-12V AC/DC <ul style="list-style-type: none"> 6-12V AC at 2 Amps 	
PPRISM01 PPRISM02 PPRISM03 PPRISM04 PPRISM05	PRISM – PERSPEX <ul style="list-style-type: none"> RECTANGULAR 70 X 50MM ISOSCELES 70 X 70MM EQUILATERAL 60 X 60MM SEMICIRCULAR 80 X 40MM S LENS 	
PPRISM06 PPRISM07	PRISM – GLASS <ul style="list-style-type: none"> RECTANGULAR 70 X 50MM EQUILATERAL 60 X 60MM 	
CTTRACK	RACK - TEST TUBE 6 HOLE <ul style="list-style-type: none"> Durable plastic Holds six test tubes Has 6 drying pins Comes in both blue and white polypropylene 	







GRGAGE1	RAIN GAUGE PLASTIC <ul style="list-style-type: none"> • Cone type - graduated in mm • With bracket to mount on pole 	
GRGAGE2	RAIN GAUGE COPPER & GLASS CYLINDER. <ul style="list-style-type: none"> • Constructed from copper. It has 5 inch dia. (127 mm) funnel, an inner receiving vessel and an outer body all of copper, and a glass measuring cylinder graduated 0 to 10 mm x 0.1 mm (100 divisions) 	
GRGAGE3	RAIN GAUGE SYMONS & GLASS CYLINDER. <ul style="list-style-type: none"> • It consists of a cylinder made from iron sheet with brass collar which fits into the top and drains into an inner cylinder. • When the inner cylinder fills the vessel collects the overflow. 	
PRAYBOX	RAY BOX WITH LENS AND SLITS AND FILTERS <ul style="list-style-type: none"> • Metal, with sliding lamp housing. Supplied with single and triple slits, 50 mm wide. 12V, 21W lamp with cable and 4 mm plugs. Operates on 12 volts power supply 	
CRRING	RETORT RING WITH BOSSHEAD <ul style="list-style-type: none"> • Mild Steel • Size 75mm/100mm diameter 	







ERHEOS	RHEOSTAT SLIDING 5A 10.7 OHM <ul style="list-style-type: none"> This Rheostat is wound with heavily oxidized constantan (Copper-Nickel Alloy) wire on a vitreous enameled steel tube. The tube is supported on die cast ends. There is a heavy duty sliding contact made of phosphor bronze and nickel plated for corrosion resistance. 	
KITRIPPLE	RIPPLE TANK SET <ul style="list-style-type: none"> This dual purpose tank is a versatile apparatus allowing all types of waves and wave motion. With illuminator lamp and important accessories included it forms a complete ready to use unit. The unique design and size allows it to be used on an overhead projector as well. Supplied in foam packing 	
EREBON	ROD EBONITE <ul style="list-style-type: none"> Ebonite friction rod 30cm length 	
ERPERS	ROD PERSPEX <ul style="list-style-type: none"> Length 200mm Diameter 10mm 	
ERPOLY	ROD POLYTHENE <ul style="list-style-type: none"> Length 200 mm Diameter 10MM 	
CRGLAS	ROD STIRRING GLASS <ul style="list-style-type: none"> Length 300mm Diameter 6mm/ 7mm 	
CRSTOP01	RUBBER STOPPER – SOLID <ul style="list-style-type: none"> Bottom 14MM/21MM/23MM/27MM/29MM /31MM 	








CRSTOP02	RUBBER STOPPER - 1 HOLE <ul style="list-style-type: none"> Bottom 14MM, 21MM, 23MM,31MM 	
CRSTOP03	RUBBER STOPPER - 2 HOLE <ul style="list-style-type: none"> Bottom 21MM,23MM,31MM 	
MWRULE	RULER WOOD <ul style="list-style-type: none"> 500MM 1 METER 	
BDBLADE	SCALPEL BLADES <ul style="list-style-type: none"> NO 10/11/20/22/24 - BOX 100 	
BDFBLADE	SCALPEL HANDLE FIXED BLADE	
BDSHAND	SCALPEL HANDLE <ul style="list-style-type: none"> Stainless Steel NO 3/ NO.4 	
BDSCIS01	SCISSORS DISSECTING <ul style="list-style-type: none"> Stainless Steel Sharp 112MM/125MM 	
BDSCIS02	SCISSORS DISSECTING <ul style="list-style-type: none"> Stainless Steel Blunt 112MM/125MM 	






PSSPR01	SLINKY SPRING STEEL <ul style="list-style-type: none"> To demonstrate Longitudinal and transverse waves 	
GSSYS	SOLAR SYSTEM <ul style="list-style-type: none"> This three dimensional model allows students to study our solar system -- looking at planets 	
PSPR02	SPRINGS <ul style="list-style-type: none"> Steel Springs with hoops on both sides. 6 X 100MM 	
PSPR03	SPRING STEEL 1.8MM L 25MM DIAMETER	
PSCELL	SMOKE CELL <ul style="list-style-type: none"> For observation of 'Brownian Motion' in smoke particles. Consists of box with plastic lid as well as flanges that allow easy attachment to standard microscopes. The box contains a smoke cell, cylindrical condensing lens and a 12 volts 3W festoon bulb. Apparatus preset to focus the light at correct height. type smoke generator. 	
CSPAT01	SPATULA CHATAWAY STAINLESS STEEL <ul style="list-style-type: none"> One end flat One end bent up Polished stainless steel 150mm or 200mm 	
CSPAT02	SPATULA SPOON STAINLESS STEEL <ul style="list-style-type: none"> One end flat One end spoon form Polished stainless steel 150mm or 200mm 	








CSRETRT	STAND RETORT +BASE & ROD <ul style="list-style-type: none"> • Chrome plated/steel rod: $\pm 600\text{mm}$ • Base: 200 x 130mm 	
CSBURP	STAND BURETTE PORCELAIN Porcelain base Aluminum centre rod To take double burette clamp	
CSRBCSET	STAND RETORT WITH BOSSHEAD & RETORT CLAMP	
PSTOPD	STOPWATCH DIGITAL	
ESDPDT	SWITCH KNIFE DOUBLE POLE DOUBLE THROW <ul style="list-style-type: none"> • Double pole - double throw • Durable plastic base knife switches that stand up during tough student use. • Poles & knives are made of brass for good electrical connections 	
ESSPDT	SWITCH KNIFE SINGLE POLE DOUBLE THROW <ul style="list-style-type: none"> • Single pole - double throw Durable plastic base knife switches that stand up during tough student use. • Poles & knives are made of brass for good electrical connections 	








ESSPST	SWITCH KNIFE SINGLE POLE SINGLE THROW <ul style="list-style-type: none"> Single pole - single throw Durable plastic base knife switches that stand up during tough student use. Poles & knives are made of brass for good electrical connections. 	
CSYRING	SYRING DISPOSABLE <ul style="list-style-type: none"> 3ML/5ML/10ML/20ML/50ML 	
TDTAPE	TAPE MEASURE DRESS MAKER <ul style="list-style-type: none"> 1.5 meter 	
TCAMPK	TECHNOLOGY CAM PACK <ul style="list-style-type: none"> The pack contains 10 each of 2 different size pear-shaped cams with 4mm axle holes 	
TGEARPK	TECHNOLOGY GEAR PACK <ul style="list-style-type: none"> Contains 10 each of 15, 30, 45 and 75 toothed gears, the diameters being 17, 32, 47 and 76mm respectively Gears can lock into each other when creating a gearbox Each pack contains 10 locking bushes to fix the gears firmly to an axle 	
TSGEARPK	TECHNOLOGY GEAR PACK – SPECIALISED GEAR <ul style="list-style-type: none"> Pack contains 10 worm, 10 crown, 10 bevel and 10 rack gears All mesh perfectly with the normal gears 	

TPULEYPK	TECHNOLOGY PULLEY PACK <ul style="list-style-type: none"> Contains 10 each of pulleys with diameters of 30, 38 and 48mm Rubber bands, or our elastic pulley belt can be used as pulley drives 	
TWSTRP	TECHNOLOGY WOOD STRIP <ul style="list-style-type: none"> To construct various structures and projects Strips supplied in 450mm lengths 10x10mm 	
TWDOWEL	TECHNOLOGY DOWELS <ul style="list-style-type: none"> To construct various structures and projects Rod supplied in 450mm lengths of 4 and 5mm ø 	
TRRIGID	TECHNOLOGY RIDIG ROD <ul style="list-style-type: none"> To construct various structures and projects Rod supplied in 450mm lengths of 4 and 5mm ø 	
TWHEELPK	TECHNOLOGY WHEELS <ul style="list-style-type: none"> Available in 2 sizes - 47mm and 67mm Each pack contains 40 wheels Wheels are easily fitted to vehicles and other constructions using 4mm axles and 	
CTTUBE01	TEST TUBE <ul style="list-style-type: none"> Light wall - With rim Neutral/Borosilicate glass Sizes: 16 x 125mm, 16 x 150mm, 19 x 150mm, 24 x 150mm 	

CTTUBE02	TEST TUBE HEAVY/WALL <ul style="list-style-type: none"> • Heavy wall • With rim 24x150mm 	
CTTUBSA	TEST TUBE SIDE ARM <ul style="list-style-type: none"> • Boroscillate glass • Sizes 24mmx150mm/16x150mm 	
CTTHLD01	TEST TUBE HOLDER WIRE PATTERN <ul style="list-style-type: none"> • Plated spring steel wire holder with finger grip. The jaws will accept tubes up to 40 mm diameter and their alignment maintained by a wire collar. 	
CTTHLD02	TEST TUBE HOLDER BOW <ul style="list-style-type: none"> • Stainless Steel, Strong spring clip, with strip of metal in wooden handle 	
CTTHLD03	TEST TUBE HOLDER <ul style="list-style-type: none"> • Wooden peg type • With spring steel for closing jaws • Accepts tubes 11-19mm/19-24mm 	
CTHEMR01 CTHEMR02	THERMOMETER RED SPIRIT-10-110C 150MM THERMOMETER RED SPIRIT -10/110C 300MM	
CTMER01 CTMER02 CTMER03	THERMOMETER MERCURY -10/110C THERMOMETER MERCURY -50/150C THERMOMETER MERCURY -10/350C	

CTM-MIN	THERMOMETER MAX/MIN <ul style="list-style-type: none"> On plastic backing -20° - 55°C 	
CTWALL	THERMOMETER WALL <ul style="list-style-type: none"> General purpose Plastic frames Indoor or outdoor use Assorted colours Length: 225mm -10° - 50°C 	
CTWDRY	THERMOMETER WET AND DRY <ul style="list-style-type: none"> On plastic backing -20° - 55°C 	
PTTIMAC	TICKER TIMER AC <ul style="list-style-type: none"> This ticker tape timer is housed in a tough moulded plastic case. The timer operates on 12 volts AC supply and produce 50/60 dots per second depending on the main frequency. The case has a tape guide and a carbon disc plug which can be moved to maximise the use of the discs. It is supplied with one roll of 50 meter paper tape and carbon discs box of 100 	
PTTIMDC	TICKER TIMER DC <ul style="list-style-type: none"> This is a complete kit which includes a 12 volt DC ticker Tape Timer, Battery holder, 2 Rolls of tape and carbon disc. Specially useful when no external power supply is available. 	

BTSPOT	TILE SPOTTING <ul style="list-style-type: none"> • Porcelain • White • 6 cavities or 12 cavities 	
CTILE150	TILES CERAMIC WHITE GLOSS <ul style="list-style-type: none"> • 150X150MM 	
CTSTND	STAND TRIPOD CIRCULAR 120MM <ul style="list-style-type: none"> • High grade metal • Circular or triangular top • Cast iron • Sprayed steel legs • Matte black finish 	
CTUBEU01	TUBE-U ABSORPTION +SIDE ARM 20 X 150MM <ul style="list-style-type: none"> • Neutral glass, With strong walls 	
CTUBEU02	TUBE-U ABSORPTION 20 X 150MM <ul style="list-style-type: none"> • Borosilicate glass, With strong walls and U-form with side tubes • Length 100mm, Dia 12mm 	
CVTUBE	TUBING VISKING <ul style="list-style-type: none"> • Visking Tubing for Dialysis • Per Meter/30 meter • Size 9 	
CTRUB	TUBING DRAINAGE RED RUBBER <ul style="list-style-type: none"> • Red rubber Drainage • Suitable for burners and other lab uses • Sizes: 5mm bore/6.3mm bore/8mm bore 	

CTGLASS	TUBE GLASS <ul style="list-style-type: none"> Lengths 750mm Sizes Inside Diameter 5mm, 6mm, 7mm 	
CTCAP	TUBING CAPILLARY <ul style="list-style-type: none"> Length - 150MM 	
CTPVC	TUBING PVC <ul style="list-style-type: none"> Per Meter Sizes Available <ul style="list-style-type: none"> Sizes 3mm, 5mm, 10mm 	
CHOFFV	VOLTAMETER HOFFMAN <ul style="list-style-type: none"> Borosilicate glass, graduated. For the demonstration of the chemical composition of water by volume and the electrochemical equivalent of hydrogen by electrolysis of water 	
EMVOLT	VOLTMETER DC Terminal: 4mm socket (1) Single range 0 - 5V (2) Single range 0 - 10V (3) Triple range 0 - 3V, 0 - 15V, 0 - 300V	
CWBOTLE	WASH BOTTLE <ul style="list-style-type: none"> Swan neck Round Sizes Available <ul style="list-style-type: none"> (1) 250ml (2) 500ml (2) 1000ml 	
CWGLASS	WATCH GLASS SODA Sizes Available <ul style="list-style-type: none"> Diameter (1)50MM (2) (3) 80MM (4)100MM (5)120MM 	

CWBATH	WATERBATH RND 6 HOLE + OVERFLOW <ul style="list-style-type: none"> 6-Place, Stainless steel, size 360 x 260 x 135 mm high, 110 mm internal depth with integral constant level device and 750W heater with overheat protection device. Removable cover has six 85 mm diameter holes each fitted with a set of stainless steel rings. With connector and 3-core cable. Operates on 220 / 240 Volts AC. 	
CWSTILL	WATER STILL GLASS 4L/HOUR <ul style="list-style-type: none"> Water Still 4l gives high quality distilled water with low conductivity and is pyrogen-free. The unit has built-in safety features like gate valve, flow switch, thermostat and fuse. The distilled output is cool ensured by high efficiency coiled condenser. 	
EWFLEX	WIRE ELECTRIC - FLEXIBLE <ul style="list-style-type: none"> Per meter Red/Black 	
EWNICR	WIRE ELECTRIC NICHROME 031MM <ul style="list-style-type: none"> (1) 30SWG (2) 28SWG (3) 26SWG (4) 24SWG 	
EWCOPP	WIRE COPPER BARE 0.40MM <ul style="list-style-type: none"> (1) 28SWG (2) 26SWG (3) 24SWG 	
EWEUR	WIRE EUREKA / CONSTANTANT 040MM <ul style="list-style-type: none"> 28SWG 	

CHEMICALS

DESCRIPTION	
Acetic Acid (Glacial) - 100ml/500ml/2.5l	Acetone -100ml/500ml/2.5l
Agar Agar - 25gm/50gm/100g	Aluminum Powder - 100gm/250gm
Aluminum Grit -100gm/250gm/500gm	Ammonium Carbonate - 100gm/250gm/500gm
Ammonium Chloride -100gm/250gm/500gm	Ammonium Dichromate - 100g/250gm/500gm
Ammonium Hydroxide -100ml/500ml/2.5l	Ammonium Nitrate -100gm/250gm/500gm
Barium Chloride -100gm/250gm/500gm	Barium Nitrate -100g/250g/500g
Benedicts Solution -100ml/500ml	Bicarbonate Indicator Solution - 500ml
Biuret Solution A -100ml/500ml	Biuret Solution B -100ml/500ml
Boiling Stones 2mm	Borax Powder -250gm/500gm
Brilliant Cresol Blue -100ml	Bromine Water -100ml/500ml
Bromothymol Blue Solution-100ml/500ml	Butanol - 100ml/500ml/2.5l
Butyric Acid (Butanoic Acid) - 100ml/500ml	Calcium Carbonate Chips - 100g/250gm/500g
Calcium Carbonate Powder -100g/250gm/500g	Calcium Chloride – 100g/250g/500g
Calcium Hydroxide - 100gm/250gm/500gm	Calcium Metal – 50gm/100gm
Chlorine Water - 100ml/500ml	Chloroform - 100ml/500ml
Citric Acid -100gm/250gm/500gm	Cobalt Chloride – 50gm/100gm/250gm/500gm
Copper II Carbonate -100gm/250gm/500gm	Copper II Chloride- 100gm/250gm/500gm
Copper II Oxide -100gm/250gm/500gm	Copper II Sulphate -100gm/250gm/500gm

Copper Turnings -100gm/250gm/500gm	Cyclohexane - 100ml/500ml
Cyclohexene – 100ml/500ml	Diethyl Ether - 100ml/500ml
Distilled Water 2.5l/5l/25l	Eosin Solution 100ml
Ethanol 96% - 100ml/500ml/2.5l	Fehling's Solution A - 100ml/500ml
Fehling's Solution B - 100ml/500ml	Formalin - 100ml/500ml/2.5l
Formic Acid/Methonic - 100ml/500ml/2.5l	Glucose Powder -100gm/250gm/500gm
Glycerine - 100ml/500ml/2.5l	Hematoxylin Stain 10g/100ml
Hydrochloric Acid - 100ml/500ml/2.5l	Hydrogen Peroxide -100ml/500ml/2.5l
Iodine Crystals 50g/100g/500g	Iodine Solution - 100ml/500ml
Iron Filings -100gm/250gm/500gm	Iron Powder 100gm/250gm/500gm
Iron II Sulphate Ferrous 100gm/250gm/500gm	Iron III Chloride Ferric - 100gm/250gm/500gm
Lead II Nitrate - 100gm/250gm/500gm	Lime Water -100gm/250gm/500gm
Lithium Metal 10gm/25gm	Litmus Solution - 100ml
Lead Monoxide (Oxide) -100gm/250gm/500gm	Magnesium Oxide -100gm/250gm/500gm
Magnesium Powder- 100gm/250gm	Magnesium Ribbon 12g/25gm
Magnesium Sulphate -100gm/250gm/500gm	Manganese Dioxide -100gm/250gm/500gm
Manganese Sulphate -100gm/250gm/500gm	Methanol -100ml/500ml/2.5l
Methyl Orange Solution - 100ml	Methyl Red Solution - 100ml
Methylated Spirits Blue - 100ml/500ml/2.5l	
Methylene Blue – 10gm/100ml	Nitric Acid - 100ml/500ml/2.5l
Oxalic Acid-100gm/250gm/500gm	Paraffin Liquid - 500ml
Paraffin- General Purpose - 500ml	Pentanol - 100ml/500ml/2.5L
Pepsin 10gm/100gm	Phenolphthalein Powder 100gm
Phenolphthalein Solution - 100ml/500ml	Potassium Bromide -100gm/250gm/500gm
Potassium Chloride -100gm/250gm/500gm	Potassium Chromate -100gm/250gm/500gm
Potassium Dichromate -100gm/250gm/500gm	Potassium Hydroxide Flakes - 100gm/250gm/500gm
Potassium Hydroxide Pellets - 100gm/250gm/500gm	Potassium Iodate -100gm/250gm/500gm
Potassium Iodide -100gm/250gm/500gm	Potassium Metal 10gm/25gm
Potassium Nitrate -100gm/250gm/500gm	Potassium Permanganate - 100gm/250gm/500gm
Potassium Sodium Tartrate - 100gm/250gm/500gm	Propionic Acid 100ml/500ml
Salicylic Acid -100gm/250gm/500gm	Safranin 10g/100ml
Schultz Solution- 100ml/500ml	Silver Nitrate -25gm/50gm/100gm
Silver Nitrate Solution - 100ml/500ml	Soda Lime -100gm/250gm/500gm
Sodium Bicarbonate -100gm/250gm/500gm	Sodium Bromide -100gm/250gm/500gm
Sodium Carbonate -100gm/250gm/500gm	Sodium Chloride -100gm/250gm/500gm
Sodium Citrate -100gm/250gm/500gm	Sodium Hydroxide Flakes - 100gm/250gm/500gm
Sodium Hydroxide Pellets - 100gm/250gm/500gm	Sodium Hydroxide Solution - 100ml/500ml/2.5l

Sodium Iodide -100gm/250gm/500gm	Sodium Nitrate -100gm/250gm/500gm
Sodium Nitrite -100gm/250gm/500gm	
Sodium Sulphate -100gm/250gm/500gm	Sodium Sulphite -100gm/250gm/500gm
Sodium Thiosulphate -100gm/250gm/500gm	Starch -100gm/250gm/500gm
Sulphur Powder -100gm/250gm/500gm	Sulphuric Acid 98% - 100ml/500ml
Universal Indicator Solution - 100ml/500ml	Xylene - 100ml/500ml/2.5l
Zinc Chloride -100gm/250gm/500gm	Zinc Metal Granular-100gm/250gm/500gm
Zinc Powder -100gm/250gm/500gm	Zinc Sulphate -100gm/250gm/500gm